RESPONSE OF THERMOLUMINESCENT DOSIMETERS TO CALIFORNIUM-252 NEUTRONS

in

The Department of Nuclear Engineering

Dedicated to

My Wife, Maida



LIST OF TABLES

Page

ion of Various Lithium Fluoride 6

25

. 27

rmoluminescent Dosimetry Performed

rom a "Semi-Infinite" Homogeneous

er Medium with a 5.5 mg Californium-252

ce at the Interface of the Air and Water . . . 27

nses of Ten Thermoluminescent Dosimeters

e TLD-100 to a 5.5 mg Californium-252

. 34

LIST OF FIGURES

14

um . . 15

es

29

30

A1-1 43



Isotope	^{N}LiF (TLD-100)	^{6}LiF (TLD-600)	^{7}LiF (TLD-700)
^{6}Li	7.5%	95.6%	0.01%
^{7}Li	92.5%	4.4%	99.99%


0.64 cm stainless steel tank wall
Water
20 cm
Air
Californium-252 source
Dosimeter

STATE UNIVERSITY

LOUISIANA STATE UNIVERSITY

$$A = \sigma\phi_f N \left(1 - e^{-\lambda t_a} \right) e^{-\lambda t_d} \qquad \text{[Equation 3-1]}$$

Gamma Dose Rate in rad/hr per mg

Measured	^{252}Cf Shielding Guide
5.25	3.99

Fast Neutron Flux in n-cm^{-2}sec^{-1} per mg

Measured	^{252}Cf Shielding Guide
4.15×10^5	4.66×10^5

27

52





y